

MA/CSSE 473 – Design and Analysis of Algorithms

Homework 10 (69 points total) Updated for summer 2012

Problems for enlightenment/practice/review (not to turn in, but you should think about them):

How many of them you need to do serious work on depends on you and your background. I do not want to make everyone do one of them for the sake of the (possibly) few who need it. You can hopefully figure out which ones you need to do.

- 6.1.1 [6.1.2] (closest numbers in an array with pre-sorting)
- 6.1.2 [6.1.3] (intersection with pre-sorting)
- 6.1.8 [6.1.10] (open intervals common point)
- 6.1.11 (anagram detection)
- 6.2.8ab (Gauss-Jordan elimination)
- 6.3.9 (Range of numbers in a 2-3 tree)
- 6.5.3 (efficiency of Horner's rule)
- 6.5.4 (example of Horner's rule and synthetic division)
- 7.1.7 (virtual initialization)

Problems to write up and turn in:

1. (10) 6.1.5 [6.1.7] (to sort or not to sort)
2. (10) 6.2.8c (compare Gaussian elimination to Gauss-Jordan)
3. (6) 6.3.7 (2-3 tree construction and efficiency)
4. (20) (sum of heights of nodes in a full tree) In this problem, we consider completely full binary trees with N nodes and height H (so that $N = 2^{H+1} - 1$)
 - (a) (5 points) Show that the sum of the heights of all of the nodes of such a tree can be expressed as $\sum_{k=0}^H k 2^{H-k}$.
 - (b) (10 points) Prove by induction on H that the above sum of the heights of the nodes is $N - H - 1$. You may base your proof on the summation from part (a) (so you don't need to refer to trees at all), **or** you may do a "standard" binary tree induction based on the heights of the trees, using the definition that a non-empty binary tree has a root plus left and right subtrees. I find the tree approach more straightforward, but you may use the summation if you prefer.
 - (c) (3 points) What is the Θ for the sum of the *depths* of all of the nodes in such a tree?
 - (d) (2 points) How does the result of parts (b) and (c) apply to Heapsort analysis?
Example of height and depth sums: Consider a full tree with height 2 (7 nodes).
Heights: root:2, leaves: 0. Sum of all heights: $1*2 + 2*1 + 4*0 = 3$.
Depths: root: 0, leaves: 2. Sum of all depths: $1*0 + 2*1 + 4*2 = 10$.
5. (10) 6.4.12 [6.4.11] (spaghetti sort)
6. (3) 6.5.10 [6.5.9] (Use Horner's rule for this particular case?)
7. (10) 7.1.6 (ancestry problem). You may **NOT** assume any of the following:
 - The tree is binary
 - The tree is a search tree (i.e. that the elements are in some particular order)
 - The tree is balanced in any way.

The tree for this problem is simply a connected directed graph with no cycles and a single source node (the root).